

Technical specification



Maxiglass MG3/300RGCS tall bottle cooler

MG3/300RGCS

Maxiglass upright glass door bottle cooler

Features and benefits

- Adjustable temperature from +2 to +18°C allows the ideal storage of a range of drink types
- Dimmable LED lights create a beautifully illuminated display area, encouraging impulse purchases
- Supplied with environmentally friendly R600a refrigerant as standard
- Innovative flat shelving design ensures no more 'wobbly' bottles, allowing effortless stocking and retrieval of drinks

We use cookies to ensure you get the best experience on our website. More information.

<u>update privacy settings</u>

Accept all

Decline all

Refrigerant	R600A	Door material	S/S frame, glass
Temperature	Refrigerator +6°C	Maximum number of shelf positions	5
Electrical supply	220- 240V/50/1	Number of sections	1
Current (A)	1.8	Section configuration System	Right hinge
Power (W)	270	System	Integral
Refrigerant mass (g)	62		

Height (mm)	1800	Climate Class	CC2
Width (mm)	602	Energy grade	D
Depth (mm)	530	EEI	49.5
Gross volume (ltr)	307	AEC (kWh)	712
Gross weight (kg)	106	GWP	3
Net weight (kg)	98	Min - max temperature (°C)	+2/+18
Capacity	310 x 330ml bottles	Energy consumption (kWh/24hr)	1.95

We use cookies to ensure you get the best experience on our website. More information.

Footnotes

- Height is adjustable from 1800 to 1825mm
- Allow an extra 10mm to the side of the cabinet for optimal airflow
- Depth of the cabinet is excluding handgrip, including power supply connection

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.gamko.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. More information.