

Technical specification



Maxiglass MG3/500G tall bottle cooler

MG3/500G

Maxiglass upright glass door bottle cooler

Features and benefits

- Adjustable temperature from +2 to +18°C allows the ideal storage of a range of drink types
- Dimmable LED lights create a beautifully illuminated display area, encouraging impulse purchases
- Supplied with environmentally friendly R600a refrigerant as standard
- Innovative flat shelving design ensures no more 'wobbly' bottles, allowing effortless stocking and retrieval of drinks

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

update privacy settings

Accept all

Decline all

Refrigerant	R600A	Door material	Anthracite frame, glass
Temperature	Refrigerator +6°C	Maximum number of shelf positions	5
Electrical supply	220- 240V/50/1	Number of sections	2
Current (A)	1.8	Section configuration	Left hinge- Right hinge
Power (W)	275	System	Integral
Refrigerant mass (g)	62		

Height (mm)	1800	Climate Class	CC2
Width (mm)	900	Energy grade	E
Depth (mm)	530	EEI	57.5
Gross volume (ltr)	468	AEC (kWh)	1029
Gross weight (kg)	141	GWP	3
Net weight (kg)	130	Min - max temperature (°C)	+2/+18
Capacity	480 x 330ml bottles	Energy consumption (kWh/24hr)	2.82

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Footnotes

- Height is adjustable from 1800 to 1825mm
- Allow an extra 10mm to the side of the cabinet for optimal airflow
- Depth of the cabinet is excluding handgrip, including power supply connection

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

```
Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | <u>www.gamko.com</u>
```

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. <u>More information.</u>