

Technical specification



GF/100LGCS Glass Froster

GF/100LGCS

Glass froster

Features and benefits

- Make an eye-catching showpiece of your bottles and glasses
- Ultra-efficient cooling system allows access to frozen glasses within a few minutes
- Fitted as standard with our award-winning +stayclear condenser, revolutionising the efficiency of refrigeration
- Anti-condensation technology prevents condensation and provides an attractive display

We use cookies to ensure you get the best experience on our website.
[More information.](#)

[update privacy settings](#)

Accept all

Decline all

Refrigerant	R600A	Door material	S/S frame, glass
Temperature	Freezer -14/-10°C	Maximum number of shelf positions	2
Electrical supply	220- 240V/50/1	Number of sections	1
Current (A)	4	Section configuration	Left hinge
Power (W)	610	System	Integral
Refrigerant mass (g)	65		

Height (mm)	840	Climate Class	N
Width (mm)	600		
Depth (mm)	538		
Gross weight (kg)	57		
Net weight (kg)	53		
Capacity	50 x pint glasses		

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | www.gamko.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)