

# Technical specification



## GF/100RS Glass Froster

GF/100RS

Glass froster

## Features and benefits

- Make an eye-catching showpiece of your bottles and glasses
- Ultra-efficient cooling system allows access to frozen glasses within a few minutes
- Fitted as standard with our award-winning +stayclear condenser, revolutionising the efficiency of refrigeration
- Anti-condensation technology prevents condensation and provides an attractive display

We use cookies to ensure you get the best experience on our website.

[More information.](#)

[update privacy settings](#)

Accept all

Decline all

|                             |                      |
|-----------------------------|----------------------|
| <b>Refrigerant</b>          | R600A                |
| <b>Temperature</b>          | Freezer<br>-14/-10°C |
| <b>Electrical supply</b>    | 220-<br>240V/50/1    |
| <b>Current (A)</b>          | 4                    |
| <b>Power (W)</b>            | 610                  |
| <b>Refrigerant mass (g)</b> | 65                   |

|                                          |             |
|------------------------------------------|-------------|
| <b>Door material</b>                     | Anthracite  |
| <b>Finish ext/int</b>                    | Anthracite  |
| <b>Maximum number of shelf positions</b> | 2           |
| <b>Number of sections</b>                | 1           |
| <b>Section configuration</b>             | Right hinge |
| <b>System</b>                            | Integral    |

|                          |                      |
|--------------------------|----------------------|
| <b>Height (mm)</b>       | 840                  |
| <b>Width (mm)</b>        | 600                  |
| <b>Depth (mm)</b>        | 538                  |
| <b>Gross weight (kg)</b> | 52                   |
| <b>Net weight (kg)</b>   | 48                   |
| <b>Capacity</b>          | 50 x pint<br>glasses |

|                      |   |
|----------------------|---|
| <b>Climate Class</b> | N |
|----------------------|---|

We use cookies to ensure you get the best experience on our website.  
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.gamko.com](http://www.gamko.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.  
[More information.](#)