

Technical specification



FK/MU Modular machine unit

FK/MU

Modular keg cooler

Features and benefits

- All fitted with robust base plate
- Electronic temperature range with a clearly visible display
- Short cooling time – draught beer is served at the right temperature every time

We use cookies to ensure you get the best experience on our website.

[More information.](#)

[update privacy settings](#)

Accept all

Decline all

Refrigerant	R600A	Finish ext/int	Anthracite
Temperature	Refrigerator +2/+5°C	System	Machine Unit
Electrical supply	220- 240V/50/1		
Current (A)	1.6		
Power (W)	240		
Refrigerant mass (g)	58		
Height (mm)	335	Climate Class	N
Width (mm)	627	Cooling Capacity (w)	463
Depth (mm)	523		
Gross weight (kg)	34		
Net weight (kg)	32		

Footnotes

- This model is to be used in conjunction with a

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | www.gamko.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)