

Technical specification

E3/222MU84 bottle cooler

E3/222MU84

Plug ready bottle cooler with 3 solid doors



Features and benefits

- TotalChill technology means there are no hot spots so all bottles and kegs are cooled equally and customers are consistently served cold drinks
- The E3's powerful refrigeration system means you can fill it up and drinks are at the right temperature for the next shift
- Temperature range is adjustable from +2°C to +18°C giving you the flexibility to store white wines, red wines, beers and ciders
- With fantastic energy efficiency and R600a refrigerant as standard, the E3 is the ideal environmentally friendly choice
- Superior storage capacity makes bottling up more efficient for bar staff and allows faster service
- Why not add drawers? A sleek addition which can make the bar layout easier for staff to use

We use cookies to ensure you get the best experience on our website.

[More information.](#)

[update privacy settings](#)

Accept all

Decline all

Temperature	Refrigerator +4/+8°C
Electrical supply	220- 240V/50/1
Current (A)	1.2
Power (W)	180
Refrigerant mass (g)	70

Finish ext/int	Anthracite
Maximum number of shelf positions	6
Number of sections	3
Section configuration	Left hinge- Right hinge- Right hinge
System	Integral

Height (mm)	860
Width (mm)	1988
Depth (mm)	512
Gross volume (ltr)	509
Gross weight (kg)	114
Net weight (kg)	96
Capacity	531 x 330ml bottles

Climate Class	CC2
Energy grade	B
EEl	19.6
AEC (kWh)	369
GWP	3
Min - max temperature (°C)	+2/+18
Energy consumption (kWh/24hr)	1.01

Footnotes

- Height is adjustable from 860 to 880mm

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | www.gamko.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)